

Clearly print your name in the space provided.

Maintain appropriate security over your exam.

PERIODIC TABLE OF THE ELEMENTS

1A																			8A
1 H 1.01																	2 He 4.00		
2A														3A	4A	5A	6A	7A	
3 Li 6.94	4 Be 9.01													5 B 10.81	6 C 12.01	7 N 14.01	8 O 16.00	9 F 19.00	10 Ne 20.18
11 Na 22.99	12 Mg 24.31	3B	4B	5B	6B	7B	8B	8B	8B	1B	2B	13 Al 26.98	14 Si 28.09	15 P 30.97	16 S 32.07	17 Cl 35.45	18 Ar 39.95		
19 K 39.10	20 Ca 40.08	21 Sc 44.96	22 Ti 47.88	23 V 50.94	24 Cr 52.00	25 Mn 54.94	26 Fe 55.85	27 Co 58.93	28 Ni 58.69	29 Cu 63.55	30 Zn 65.39	31 Ga 69.72	32 Ge 72.61	33 As 74.92	34 Se 78.96	35 Br 79.90	36 Kr 83.80		
37 Rb 85.47	38 Sr 87.62	39 Y 88.91	40 Zr 91.22	41 Nb 92.91	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.91	46 Pd 106.42	47 Ag 107.87	48 Cd 112.41	49 In 114.82	50 Sn 118.71	51 Sb 121.76	52 Te 127.60	53 I 126.90	54 Xe 131.3		
55 Cs 132.91	56 Ba 137.33	57 La 138.91	72 Hf 178.49	73 Ta 180.95	74 W 183.85	75 Re 186.21	76 Os 190.2	77 Ir 192.22	78 Pt 195.08	79 Au 196.97	80 Hg 200.59	81 Tl 204.38	82 Pb 207.19	83 Bi 208.98	84 Po (209)	85 At (210)	86 Rn (222)		
87 Fr (223)	88 Ra 226.03	89 Ac (227)	104	105	106	107	108	109											

1. Draw all the following compounds.


a) isopropyl benzene

b) 2,2-dimethyl-4-mercapto-1-pentanol





c) Z-3-hexen-3-ol

d) phenol




2. Circle the most acid hydrogen in the following molecule.






3. Name the following hydrocarbons.








4. Circle the molecule which would have the lowest pH.




5. Determine the product(s) for the following alkene and alkyne reactions.



6. Determine the product(s) for the following reactions.



7. The following aldehyde tautomerizes in the presence of an acid to go from the S-enantiomer to the R-enantiomer. Write out the proposed mechanism for this rearrangement.



8. Starting with ethane and 1-butyne and using any reagents discussed in class form 3-hexyne.